



WALTHER® FALTBOX



Foldboxes

We make reusable, foldable





Our secret is in the fold

In 1978, Walther Faltsysteme developed the first foldable multi-trip container. Since then, our Technical Designers are recognised as being the most experienced in foldable boxes in today's market. Our success lies in the right fold: whether on the long or short side, with or without hinges. This is lead by our customers own specific requirements.

Individual solutions, not just selling from a catalogue. This is the way we have developed storage and transport boxes for the global logistics markets and how we have been able to compile a diverse & comprehensive range.

Our multi-trip containers are a dynamic tool that complements a dynamic logistic system.

Certification DIN EN ISO 9001:2015 is our benchmark for the highest quality.

Make your logistic issue our challenge, you will see... We can FOLD it!

Our service

Tailor-Made Multi-Trip Solutions: We offer you our vast experience and knowledge in developing practical and cost-effective multi-trip transport system, to meet your specific need.

Concept Development: Our specialists work out new concepts for cost-effective distribution packaging and related logistic processes.

Customised Packaging: Whether modifying an existing container, or creating a new one, our team, in close consultation with your experts, will develop a tailor-made solution for your specific needs.

Payment Options: You can buy, rent or lease our boxes. We partner specialist logistic providers who will offer you a full service around the use of our multiuse containers. We will help you choosing the right concept.

Find out more at: www.logrent.de

We are certified since 1996
according to

DIN EN ISO 9001 : 2015
DIN EN ISO 14001 : 2015
DIN EN ISO 50001 : 2011



N.B.: Specifications are based on the most up-to-date technical knowledge and experience. We reserve the right to amend technical data. Changes to dimensions and weights due to technically restrictive tolerances are possible. All load capacities quoted are based on uniformly distributed loads at a temperature of approx. 23°C. The suitability of boxes and containers for storage and transport or other applications with high dynamic loads or other specific conditions must be assessed individually, case by case.

Volume reduction – why?

Folding our collapsible boxes make returns simple and cost effective – due to volume reduction, compared to nestable & stackable crates.

Folding boxes create added value

Automotive

Folding boxes carry automotive parts efficiently and cost effectively throughout your supply chain.



Distribution

Loaded crates are made mobile with the use of dollies, and so carry goods quickly and safely from the central warehouse to retail outlets.



Electronics

Sensitive electronic parts are transported in conductive folding boxes (ESD) directly to the assembly point.





Reduced costs

Reduction in volume of up to 80 % saves storage and transportation costs, thus cutting considerably charges per container trip.



Effective use of space

All containers are made to fit the standard pallet sizes of 1,200 mm x 800 mm or 1,200 mm x 1,000 mm.



Safety and security

The robust construction, hinged lids, tamper-evident security seals and individual container identification systems provide excellent protection.



Flexibility

More than 50 variations of foldable containers are capable of solving almost any packaging or distribution problem.



Handling

Quick and easy folding and unfolding of our containers provides ergonomic advantages.





Saving resources

All containers produced by WALTHER Faltsysteme can be returned at any time. They will then be recycled and reprocessed into our Greenline products.

Foldboxes


Main product benefits




1



9



2




10



5



13


















8







17

- 1. Volume reduction up to 80 %
- 2. Anti-theft device for end panels
- 3. Smooth interior surfaces make cleaning easy
- 4. Ergonomic handles
- 5. Special hinges for heavy loads
- 6. Extra strong ribbing
- 7. Secure stacking edges
- 8. Individual hot film printing
- 9. Robust hinges provide durability
- 10. Smooth or re-enforced base
- 11. Easy access when stacked
- 12. Odette label holder (DIN A5)
- 13. Noduled area for sticky labels
- 14. Label frame for DIN A6
- 15. Areas for barcodes
- 16. Option: water drainage holes
- 17. Option: lid hinged on top of or inside box, on long or short side, sealable, depending on folding box model




	Product image	Technical details	Options/accessoires										
<h2>Folding box range standard versions</h2>													
4322		<table border="1"> <tr> <td>Ext. dim. L × W × H (nom.)</td> <td>400 × 300 × 220 mm</td> </tr> <tr> <td>Int. dim. L × W × H (min.)</td> <td>365 × 265 × 210 mm</td> </tr> <tr> <td>Useable volume (approx.)</td> <td>20 liter</td> </tr> <tr> <td>Height folded (approx.)</td> <td>65 mm</td> </tr> <tr> <td>Volume reduction (approx.)</td> <td>70 %</td> </tr> </table>	Ext. dim. L × W × H (nom.)	400 × 300 × 220 mm	Int. dim. L × W × H (min.)	365 × 265 × 210 mm	Useable volume (approx.)	20 liter	Height folded (approx.)	65 mm	Volume reduction (approx.)	70 %	<ul style="list-style-type: none"> ▶ Lid hinged on long side ▶ Loose/slip lid ▶ Security plugs on short sides ▶ Label holder
Ext. dim. L × W × H (nom.)	400 × 300 × 220 mm												
Int. dim. L × W × H (min.)	365 × 265 × 210 mm												
Useable volume (approx.)	20 liter												
Height folded (approx.)	65 mm												
Volume reduction (approx.)	70 %												
4324		<table border="1"> <tr> <td>Ext. dim. L × W × H (nom.)</td> <td>475 × 350 × 240 mm</td> </tr> <tr> <td>Int. dim. L × W × H (min.)</td> <td>450 × 320 × 230 mm</td> </tr> <tr> <td>Useable volume (approx.)</td> <td>33 liter</td> </tr> <tr> <td>Height folded (approx.)</td> <td>65 mm</td> </tr> <tr> <td>Volume reduction (approx.)</td> <td>73 %</td> </tr> </table>	Ext. dim. L × W × H (nom.)	475 × 350 × 240 mm	Int. dim. L × W × H (min.)	450 × 320 × 230 mm	Useable volume (approx.)	33 liter	Height folded (approx.)	65 mm	Volume reduction (approx.)	73 %	<ul style="list-style-type: none"> ▶ Non Euro norm
Ext. dim. L × W × H (nom.)	475 × 350 × 240 mm												
Int. dim. L × W × H (min.)	450 × 320 × 230 mm												
Useable volume (approx.)	33 liter												
Height folded (approx.)	65 mm												
Volume reduction (approx.)	73 %												
5328		<table border="1"> <tr> <td>Ext. dim. L × W × H (nom.)</td> <td>525 × 350 × 275 mm</td> </tr> <tr> <td>Int. dim. L × W × H (min.)</td> <td>495 × 325 × 265 mm</td> </tr> <tr> <td>Useable volume (approx.)</td> <td>43 liter</td> </tr> <tr> <td>Height folded (approx.)</td> <td>70 mm</td> </tr> <tr> <td>Volume reduction (approx.)</td> <td>75 %</td> </tr> </table>	Ext. dim. L × W × H (nom.)	525 × 350 × 275 mm	Int. dim. L × W × H (min.)	495 × 325 × 265 mm	Useable volume (approx.)	43 liter	Height folded (approx.)	70 mm	Volume reduction (approx.)	75 %	<ul style="list-style-type: none"> ▶ Non Euro norm
Ext. dim. L × W × H (nom.)	525 × 350 × 275 mm												
Int. dim. L × W × H (min.)	495 × 325 × 265 mm												
Useable volume (approx.)	43 liter												
Height folded (approx.)	70 mm												
Volume reduction (approx.)	75 %												
5328 V1		<table border="1"> <tr> <td>Ext. dim. L × W × H (nom.)</td> <td>530 × 350 × 285 mm</td> </tr> <tr> <td>Int. dim. L × W × H (min.)</td> <td>500 × 320 × 265 mm</td> </tr> <tr> <td>Useable volume (approx.)</td> <td>42 liter</td> </tr> <tr> <td>Height folded (approx.)</td> <td>58 mm</td> </tr> <tr> <td>Volume reduction (approx.)</td> <td>80 %</td> </tr> </table>	Ext. dim. L × W × H (nom.)	530 × 350 × 285 mm	Int. dim. L × W × H (min.)	500 × 320 × 265 mm	Useable volume (approx.)	42 liter	Height folded (approx.)	58 mm	Volume reduction (approx.)	80 %	
Ext. dim. L × W × H (nom.)	530 × 350 × 285 mm												
Int. dim. L × W × H (min.)	500 × 320 × 265 mm												
Useable volume (approx.)	42 liter												
Height folded (approx.)	58 mm												
Volume reduction (approx.)	80 %												
6417		<table border="1"> <tr> <td>Ext. dim. L × W × H (nom.)</td> <td>600 × 400 × 170 mm</td> </tr> <tr> <td>Int. dim. L × W × H (min.)</td> <td>555 × 355 × 160 mm</td> </tr> <tr> <td>Useable volume (approx.)</td> <td>32 liter</td> </tr> <tr> <td>Height folded (approx.)</td> <td>70 mm</td> </tr> <tr> <td>Volume reduction (approx.)</td> <td>59 %</td> </tr> </table>	Ext. dim. L × W × H (nom.)	600 × 400 × 170 mm	Int. dim. L × W × H (min.)	555 × 355 × 160 mm	Useable volume (approx.)	32 liter	Height folded (approx.)	70 mm	Volume reduction (approx.)	59 %	<ul style="list-style-type: none"> ▶ Lid hinged on long side ▶ Loose/slip lid ▶ Label holder
Ext. dim. L × W × H (nom.)	600 × 400 × 170 mm												
Int. dim. L × W × H (min.)	555 × 355 × 160 mm												
Useable volume (approx.)	32 liter												
Height folded (approx.)	70 mm												
Volume reduction (approx.)	59 %												
6422 NG		<table border="1"> <tr> <td>Ext. dim. L × W × H (nom.)</td> <td>600 × 400 × 220 mm</td> </tr> <tr> <td>Int. dim. L × W × H (min.)</td> <td>555 × 355 × 210 mm</td> </tr> <tr> <td>Useable volume (approx.)</td> <td>41 liter</td> </tr> <tr> <td>Height folded (approx.)</td> <td>80 mm</td> </tr> <tr> <td>Volume reduction (approx.)</td> <td>64 %</td> </tr> </table>	Ext. dim. L × W × H (nom.)	600 × 400 × 220 mm	Int. dim. L × W × H (min.)	555 × 355 × 210 mm	Useable volume (approx.)	41 liter	Height folded (approx.)	80 mm	Volume reduction (approx.)	64 %	<ul style="list-style-type: none"> ▶ Ribbed bottom ▶ Lid hinged on long side ▶ Inside lid hinged on short side ▶ Loose/slip lid ▶ Security plugs on short sides ▶ Label holder
Ext. dim. L × W × H (nom.)	600 × 400 × 220 mm												
Int. dim. L × W × H (min.)	555 × 355 × 210 mm												
Useable volume (approx.)	41 liter												
Height folded (approx.)	80 mm												
Volume reduction (approx.)	64 %												
6422 V1		<table border="1"> <tr> <td>Ext. dim. L × W × H (nom.)</td> <td>600 × 400 × 220 mm</td> </tr> <tr> <td>Int. dim. L × W × H (min.)</td> <td>555 × 355 × 210 mm</td> </tr> <tr> <td>Useable volume (approx.)</td> <td>41 liter</td> </tr> <tr> <td>Height folded (approx.)</td> <td>70 mm</td> </tr> <tr> <td>Volume reduction (approx.)</td> <td>68 %</td> </tr> </table>	Ext. dim. L × W × H (nom.)	600 × 400 × 220 mm	Int. dim. L × W × H (min.)	555 × 355 × 210 mm	Useable volume (approx.)	41 liter	Height folded (approx.)	70 mm	Volume reduction (approx.)	68 %	<ul style="list-style-type: none"> ▶ Inside lid hinged on long side ▶ Loose/slip lid ▶ Security plugs on short sides ▶ Label holder
Ext. dim. L × W × H (nom.)	600 × 400 × 220 mm												
Int. dim. L × W × H (min.)	555 × 355 × 210 mm												
Useable volume (approx.)	41 liter												
Height folded (approx.)	70 mm												
Volume reduction (approx.)	68 %												

6422 V1 FR		Ext. dim. L x W x H (nom.)	600 x 400 x 220 mm	<ul style="list-style-type: none"> ▶ Inside lid hinged on long side ▶ Loose/slip lid ▶ Security plugs on short sides ▶ Label holder
		Int. dim. L x W x H (min.)	555 x 355 x 210 mm	
		Useable volume (approx.)	41 liter	
		Height folded (approx.)	70 mm	
		Volume reduction (approx.)	68 %	
6426 NG		Ext. dim. L x W x H (nom.)	600 x 400 x 260 mm	<ul style="list-style-type: none"> ▶ Ribbed bottom ▶ Lid hinged on long side ▶ Inside lid hinged on short side ▶ Loose/slip lid ▶ Security plugs on short sides ▶ Label holder
		Int. dim. L x W x H (min.)	555 x 355 x 250 mm	
		Useable volume (approx.)	49 liter	
		Height folded (approx.)	80 mm	
		Volume reduction (approx.)	69 %	
6428 NG		Ext. dim. L x W x H (nom.)	600 x 400 x 280 mm	<ul style="list-style-type: none"> ▶ Ribbed bottom ▶ Lid hinged on long side ▶ Inside lid hinged on short side ▶ Loose/slip lid ▶ Security plugs on short sides ▶ Label holder
		Int. dim. L x W x H (min.)	555 x 355 x 270 mm	
		Useable volume (approx.)	53 liter	
		Height folded (approx.)	80 mm	
		Volume reduction (approx.)	71 %	
6430 NG		Ext. dim. L x W x H (nom.)	600 x 400 x 300 mm	<ul style="list-style-type: none"> ▶ Ribbed bottom ▶ Lid hinged on long side ▶ Inside lid hinged on short side ▶ Loose/slip lid ▶ Security plugs on short sides ▶ Label holder
		Int. dim. L x W x H (min.)	555 x 355 x 290 mm	
		Useable volume (approx.)	57 liter	
		Height folded (approx.)	80 mm	
		Volume reduction (approx.)	73 %	
6430 NGE		Ext. dim. L x W x H (nom.)	600 x 400 x 300 mm	<ul style="list-style-type: none"> ▶ Ribbed bottom ▶ Lid hinged on long side ▶ Loose/slip lid ▶ Security plugs on short sides ▶ Label holder
		Int. dim. L x W x H (min.)	555 x 355 x 290 mm	
		Useable volume (approx.)	57 liter	
		Height folded (approx.)	80 mm	
		Volume reduction (approx.)	73 %	
6432 FR		Ext. dim. L x W x H (nom.)	600 x 400 x 320 mm	<ul style="list-style-type: none"> ▶ Lid hinged on long side ▶ Loose/slip lid ▶ Security plugs on short sides ▶ Label holder
		Int. dim. L x W x H (min.)	555 x 355 x 310 mm	
		Useable volume (approx.)	61 liter	
		Height folded (approx.)	70 mm	
		Volume reduction (approx.)	78 %	
6432 K		Ext. dim. L x W x H (nom.)	600 x 400 x 320 mm	<ul style="list-style-type: none"> ▶ Lid hinged on long side ▶ Loose/slip lid ▶ Security plugs on short sides ▶ Label holder
		Int. dim. L x W x H (min.)	555 x 355 x 310 mm	
		Useable volume (approx.)	61 liter	
		Height folded (approx.)	70 mm	
		Volume reduction (approx.)	78 %	
6432 NG		Ext. dim. L x W x H (nom.)	600 x 400 x 320 mm	<ul style="list-style-type: none"> ▶ Ribbed bottom ▶ Lid hinged on long side ▶ Inside lid hinged on short side ▶ Loose/slip lid ▶ Security plugs on short sides ▶ Label holder
		Int. dim. L x W x H (min.)	555 x 355 x 310 mm	
		Useable volume (approx.)	61 liter	
		Height folded (approx.)	80 mm	
		Volume reduction (approx.)	75 %	

	Product image	Technical details		Options/accessoires
6432 V1		Ext. dim. L x W x H (nom.)	600 x 400 x 320 mm	<ul style="list-style-type: none"> ▶ Lid hinged on long side ▶ Inside lid hinged on long side (special model) ▶ Loose/slip lid ▶ Security plugs on short sides ▶ Label holder
		Int. dim. L x W x H (min.)	555 x 355 x 310 mm	
		Useable volume (approx.)	61 liter	
		Height folded (approx.)	70 mm	
		Volume reduction (approx.)	78 %	
6432 V1 L		Ext. dim. L x W x H (nom.)	600 x 400 x 320 mm	<ul style="list-style-type: none"> ▶ Lid hinged on long side ▶ Inside lid hinged on long side (special model) ▶ Loose/slip lid ▶ Security plugs on short sides ▶ Label holder
		Int. dim. L x W x H (min.)	570 x 370 x 305 mm	
		Useable volume (approx.)	64 liter	
		Height folded (approx.)	70 mm	
		Volume reduction (approx.)	78 %	
8645		Ext. dim. L x W x H (nom.)	800 x 600 x 445 mm	<ul style="list-style-type: none"> ▶ Loose/slip lid ▶ Security plugs on short sides ▶ Label holder
		Int. dim. L x W x H (min.)	755 x 540 x 420 mm	
		Useable volume (approx.)	171 liter	
		Height folded (approx.)	130 mm	
		Volume reduction (approx.)	71 %	
8645 FR		Ext. dim. L x W x H (nom.)	800 x 600 x 430 mm	<ul style="list-style-type: none"> ▶ Loose/slip lid ▶ Security plugs on short sides ▶ Label holder
		Int. dim. L x W x H (min.)	755 x 540 x 420 mm	
		Useable volume (approx.)	171 liter	
		Height folded (approx.)	110 mm	
		Volume reduction (approx.)	74 %	

Greenline folding box range



4322 Greenline		Ext. dim. L x W x H (nom.)	400 x 300 x 220 mm	<ul style="list-style-type: none"> ▶ Lid hinged on long side ▶ Loose/slip lid ▶ Security plugs on short sides ▶ Label holder
		Int. dim. L x W x H (min.)	365 x 265 x 210 mm	
		Useable volume (approx.)	20 liter	
		Height folded (approx.)	65 mm	
		Volume reduction (approx.)	70 %	
6422 NG Greenline		Ext. dim. L x W x H (nom.)	600 x 400 x 220 mm	<ul style="list-style-type: none"> ▶ Ribbed bottom ▶ Lid hinged on long side ▶ Inside lid hinged on short side ▶ Loose/slip lid ▶ Security plugs on short sides ▶ Label holder
		Int. dim. L x W x H (min.)	555 x 355 x 210 mm	
		Useable volume (approx.)	41 liter	
		Height folded (approx.)	80 mm	
		Volume reduction (approx.)	64 %	
6432 NG Greenline		Ext. dim. L x W x H (nom.)	600 x 400 x 320 mm	<ul style="list-style-type: none"> ▶ Ribbed bottom ▶ Lid hinged on long side ▶ Inside lid hinged on short side ▶ Loose/slip lid ▶ Security plugs on short sides ▶ Label holder
		Int. dim. L x W x H (min.)	555 x 355 x 310 mm	
		Useable volume (approx.)	61 liter	
		Height folded (approx.)	80 mm	
		Volume reduction (approx.)	75 %	

ESD folding box range



4322 ESD



Ext. dim. L × W × H (nom.)	400 × 300 × 220 mm
Int. dim. L × W × H (min.)	365 × 265 × 210 mm
Useable volume (approx.)	20 liter
Height folded (approx.)	65 mm
Volume reduction (approx.)	70 %

- ▶ Lid hinged on long side
- ▶ Loose/slip lid
- ▶ Security plugs on short sides
- ▶ Label holder

6422 ESD



Ext. dim. L × W × H (nom.)	600 × 400 × 220 mm
Int. dim. L × W × H (min.)	555 × 355 × 210 mm
Useable volume (approx.)	41 liter
Height folded (approx.)	70 mm
Volume reduction (approx.)	68 %

- ▶ Lid hinged on long side
- ▶ Loose/slip lid
- ▶ Security plugs on short sides
- ▶ Label holder


6432 ESD

















Ext. dim. L × W × H (nom.)	600 × 400 × 320 mm
Int. dim. L × W × H (min.)	555 × 355 × 310 mm
Useable volume (approx.)	61 liter
Height folded (approx.)	70 mm
Volume reduction (approx.)	78 %

- ▶ Lid hinged on long side
- ▶ Loose/slip lid
- ▶ Security plugs on short sides
- ▶ Label holder

Further folding box models in a Greenline or ESD version are available on request.



Accessoires

BV		Ribbed bottom	DL		Lid hinged on long side (on top), lockable
IDL		Inside lid hinged on long side, lockable	IDS		Inside lid hinged on short side
AD		Loose lid with banding grooves for containers with the following basic dimensions: ▶ 800 × 600 mm ▶ 600 × 400 mm ▶ 400 × 300 mm	SD		Slip lid with banding grooves for containers with the following basic dimensions: ▶ 800 × 600 mm ▶ 600 × 400 mm ▶ 400 × 300 mm
SDP		Loose lid for pallets with the basic dimensions 1200 × 800 mm	SP		Safety seals for lockable lids
STS K		Small safety clips for short sides with or without straps for folding boxes in the following basic dimensions: ▶ 600 × 400 mm ▶ 400 × 300 mm	STSG		Large safety clips for short sides with or without straps for folding boxes in the basic dimensions 800 × 600 mm
ER		Label holder for folding boxes	EH		Translucent label holder for folding boxes
6410 V1		Dolly for container in the following basic dimensions: ▶ 600 × 400 mm ▶ 400 × 300 mm	6420		Dolly for container in the following basic dimensions: ▶ 600 × 400 mm ▶ 400 × 300 mm
8620 V1		Dolly for container in the following basic dimensions: ▶ 800 × 600 mm ▶ 600 × 400 mm ▶ 400 × 300 mm	1280		Dolly for container in the following basic dimensions: ▶ 800 × 600 mm ▶ 600 × 400 mm

We make your life easier

We're here for you. With our online shop boxline.com available around the clock, or in person during office hours. Regardless of whether you order a box from our standard program or a new production, we accompany you on your way to your transport container solution.



Select products quickly and easily, compare and order in the online shop



Standardised and custom solutions boxes for every logistical challenge



Individual project support to the finished desired box



Reliable service and fast advice by phone, email and live chat



Detailed Guides in "Planet Reusable" for all major logistics issues



Regular new price promotions and special deals

Visit us on the Web at
www.boxline.com or simply
scan in the QR-Code



WALTHER® FALTSYSTEME

WALTHER Faltsysteme GmbH

Hoogeweg 136

D-47623 Kevelaer

Tel.: +49(0)2832-9723-0

E-Mail: info@faltbox.com

Internet: www.faltbox.com

WALTHER® FALTBOX

WALTHER® BOXLINE

Hotline: +49(0)2832-9723-45

Internet: www.boxline.com

Our UK stockist and distributor

STAKRAK LIMITED

Stakrak Limited

Unit 19 Pelham Court

Broadfield, Crawley

West Sussex, RH11 9SH

Phone: +44(0)1293-525693

E-Mail: info@boxline.co.uk

Internet: www.boxline.co.uk



Visit us on the Web at
www.faltbox.com or simply
scan in the QR-Code.

